

COMPLETE LISTING OF THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

1. (cancelled)
2. (withdrawn) Method according to claim 1, wherein the downloaded data comprises a codec which comprises an audio content and a graphical animations content, an application for reading such a type of codec being simultaneously downloaded or having been previously downloaded and memorized at the operating layer of the mobile phone.
3. (withdrawn) Method according to claim 1, wherein the downloaded data comprises a codec which comprises an audio content and a codec which comprises a graphical animations content.
4. (currently amended) A ~~[[M]]~~method according to claim 45 ~~[[1]]~~, wherein ~~at each new downloading,~~ the downloaded data comprises an application for reading the graphical animations content and/or audio content.
5. (currently amended) A ~~[[M]]~~method according to claim 4, wherein the downloaded data also comprises one or more configuration files.
6. (currently amended) A ~~[[M]]~~method according to claim 45 ~~[[1]]~~, wherein, with the application for reading the graphical content, a background task application is downloaded in the operating layer of the mobile phone, which monitors the notification of an incoming call to a phone server of said layer and activates the reading of the graphical content by the reading application.
7. (withdrawn) Method according to claim 1, wherein the reading application downloaded in the operating layer monitors in background task the activation of a codec

corresponding to a ring tone which is associated to it, the reading of the graphical animations content being triggered when said coded activation is detected.

8. (withdrawn) Method according to claim 1, wherein the reading application downloaded in the operating layer monitors in background task the signalling of a call to an interface phone application or to the phone server of the operating layer, the reading of the graphical animation content being triggered when an event corresponding to this signalling is detected.

9. (currently amended) A ~~[[M]]~~method according to claim 45 ~~[[+]]~~, wherein the reading application bypasses the graphical layers of the phone for writing directly in the screen memory.

10. (currently amended) A ~~[[M]]~~method according to claim 9, wherein the reading application uses a mask for not entering into conflict with certain areas controlled by the graphical layers of the phone for displaying certain icons.

11. (withdrawn) Method according to claim 1, wherein the data are downloaded from a container storing graphical animations in a native format of the mobile phone or of its operating system.

12. (withdrawn) Method according to claim 1, wherein during the downloading, the data are downloaded while being converted such that the graphical animations are stored in the mobile phone in the native image format of the latter or of its operating system.

13. (withdrawn) Method according to claim 1, wherein each new downloaded ring tone is automatically memorized in the mobile phone as a favourite intended to be activated at the next incoming call.

14. (withdrawn) Method according to claim 13, wherein the application is installed or the content associated to the codec is activated, all the necessary actions for simultaneous

activation of the sound and graphics being done automatically and without intervention of the user in the different configuration menus of the phone.

15. (cancelled)

16. (withdrawn) Phone according to claim 15, wherein the reading application is adapted for reading a codec which comprises an audio content and a graphical animations content.

17. (currently amended) A ~~[[P]]~~phone according to claim 46 ~~[[45]]~~, wherein with the reading application is a background task application which monitors the notification of a call to the phone server of said layer and activates the graphical content reading by the reading application.

18. (withdrawn) Phone according to claims 15 or 16, wherein the reading application monitors in background task the activation of a codec corresponding to a ring tone which is associated to it, the reading of the graphical animations content being triggered when said codec activation is detected.

19. (withdrawn) Phone according to claims 15 or 16, wherein the reading application monitors, in background task, the signalling of a call to an interface phone application or to the phone server of the operating layer, the reading to the graphical animation content being triggered when an event corresponding to this signalling is detected.

20. (currently amended) A ~~[[P]]~~phone according to claim 46 ~~[[45]]~~, wherein the ~~playing~~ application for displaying bypasses the graphical layers of the phone to directly write to ~~attack~~ the screen memory.

21. (currently amended) A ~~[[P]]~~phone according to claim 20, wherein the ~~reading~~ application for reading comprises means for masking certain icons displaying areas of the phone.

22. (withdrawn) Phone according to claim 15, comprising means adapted for detecting that the user decides to change his favourite ring tone, and for blocking the activation of the corresponding graphical animation when a change of this type is detected.

23. (withdrawn) Phone according to claim 15, comprising an interface application (if need be also downloaded) which allows the user to compose his own combined contents from the content already present on his phone or which he can download otherwise.

24. - 27. (cancelled)

28. (withdrawn) Method for enabling the reading at least an animation content upon reception of an incoming call on the mobile phone, wherein an application for reading graphical content possibly downloaded in the operating layer of the mobile phone monitors in background task the activation of a codec and activates the reading of the associated personalization content when said activation codec is detected.

29. (withdrawn) Method for enabling the substantially synchronous reading of at least an audio content and a graphical content upon reception of an incoming call, wherein an application for reading graphical content possibly downloaded in the operating layer of the mobile phone monitors in background task the activation of a codec corresponding to the audio content and activates the reading of the associated personalization content when said activation codec is detected.

30. (withdrawn) Mobile phone adapted for enabling the reading of at least a personalization content upon reception of an incoming call, wherein the phone comprises an application for reading graphical content possibly downloaded in the operating layer of the mobile phone, adapted for monitoring in background task the activation of a codec corresponding to the audio content and for activating the reading of the associated personalization content when said activation codec is detected.

31. (withdrawn) Method for enabling the reading of at least a personalization content upon reception of an incoming call on a mobile phone, wherein an application for reading the content possibly downloaded in the operating layer of the mobile phone monitors in background task the notification of an incoming call to an interface phone application or to a phone server of said layer and activates the reading of said content upon notification of an incoming call.

32. (withdrawn) Method for enabling the substantially synchronous reading of at least an audio content and a graphical content upon reception of an incoming call on a mobile phone, wherein an application for reading the graphical content possibly downloaded in the operating layer of the mobile phone monitors in background task the notification of an incoming call to an interface phone application or to a phone server of said layer and activates the reading of said content upon notification of an incoming call.

33. (withdrawn) Mobile phone adapted for the reading of at least a personalization content upon reception of an incoming call on a mobile phone, wherein the phone comprises an application for reading said content, possibly downloaded in the operating layer of the mobile phone, adapted for monitoring in background task the notification of an incoming call to an interface phone application or to a phone server of said layer and for activating the reading of said content upon notification of an incoming call.

34. (withdrawn) Mobile phone adapted for enabling the substantially synchronous reading of at least an audio content and a graphical content upon reception of an incoming call on a mobile phone, wherein it comprises an application for reading the graphical content possibly downloaded in the operating layer of the mobile phone adapted for monitoring in background task the notification of an incoming call to an interface phone application or to a phone server of said layer and for activating the reading of said content upon notification of an incoming call.

35. (withdrawn) Method for activating at least one personalization content upon reception of an incoming call on a mobile phone, wherein it comprises the steps consisting in: downloading at least said content, automatically placing said content as a favourite intended to be activated upon reception of the next incoming call, this step being performed without intervention of the user in the different configuration menus of the phone.

36. (withdrawn) Method for activating an audio content upon reception of an incoming call on a mobile phone, comprising the steps consisting in: downloading the audio content and an associated graphical animation content, automatically placing the audio content as a favourite intended to be activated upon reception of the next incoming call, this step being performed without intervention of the user in the different configuration menus of the phone.

37. (withdrawn) Mobile phone adapted for allowing the reading of at least one personalization content upon reception of an incoming call on the mobile phone, comprising an application, which upon downloading of said content, automatically places it as a favourite intended to be activated upon reception of the next incoming call, this step being performed without intervention of the user in the different configuration menus of the phone.

38. (withdrawn) Method for personalizing mobile phones, comprising the steps according to which: a user compose a combined content by associating an audio content and a graphical animation content, from contents already present in the phone or which he can download otherwise, by means of an interface application memorized at the operating layer of the phone, when the audio content is played on the phone upon reception of an incoming call, an application for reading graphical content animation, and if need be for reading also audio content, read the graphical animation content.

39. (withdrawn) Mobile phone, comprising an interface application, memorized at the operating layer of the phone, adapted for allowing a user to compose a combined content by associating an audio content and a graphical animation content, from contents already present in the phone or which he can download otherwise, the graphical animation content being intended

to be read by a reading application of the phone when the audio content is played on the phone upon reception of an incoming call.

40. (withdrawn) Method for allowing the reading of a graphical animation content upon reception of an incoming call on a mobile phone, comprising the steps consisting in: storing in the mobile phone a graphical animation content as fixed images in native format according to a parametrizable frame rate.

41. (withdrawn) Mobile phone adapted to allow the reading of a graphical animation content upon reception of an incoming call, comprising a reading application adapted for displaying in sequence fixed images in native format according to a parametrizable frame rate upon reception of an incoming call.

42. (withdrawn) Method for downloading ring tones for personalizing mobile phones, comprising the steps consisting in: memorizing a file including an audio content and/or a graphical animation content, in encrypted form, at the operating layer of the phone, upon reception of an incoming call, decrypting the file in random access memory and reading the audio content and/or the graphical content.

43. (withdrawn) Mobile phone adapted for allowing the downloading of ring tones for personalizing mobile phones, comprising means for memorizing a file including an audio content and/or a graphical animation content, in encrypted form, at the operating layer of the phone, and a reading application adapted, upon reception of an incoming call, for decrypting the file in random access memory and for reading the audio content and/or the graphical content.

44. (withdrawn) Method for downloading and reading an animation content, wherein said content is transferred to the phone in a compressed format and said content is stored in the phone in a decompressed format, said content being read in real time under this format upon reception of an incoming call.

45. (new) A method for downloading ring tones for personalizing mobile phones, comprising:

downloading and storing data on a mobile phone, including audio content and graphical animation content; and

upon receiving an incoming call, simultaneously playing the audio content and displaying the graphical animation content on the mobile phone, wherein a graphical layer of the mobile phone is disabled in order to display the downloaded graphical animation content.

46. (new) A mobile phone adapted to download ring tones for personalization of the mobile phone, comprising:

an application for reading graphical animation content stored in an operating layer of the mobile phone; and

an application for disabling a graphical layer of the mobile phone and for displaying the graphical animation content upon receiving an incoming call.

47. (new) A method for enabling the substantially synchronous reading of at least an audio content and a graphical content upon reception of an incoming call on a mobile phone, comprising:

a background task application monitoring a notification of an incoming call to a phone server on a mobile phone; and

the background task application activating an application to read the graphical content and disabling a graphic layer of the mobile phone upon the notification of an incoming call.

48. (new) A mobile phone adapted for enabling the substantially synchronous reading of at least an audio content and a graphical content upon reception of an incoming call, comprising:

a background task application adapted to monitor notifications regarding incoming calls to a phone server for a mobile phone, and to activate an application to read the graphical content and disable a graphic layer of the mobile phone upon the notification of an incoming call.